

FIG. 3

FREQUENCY ENERGY	CALCIFIED PLAQUE - WITHOUT CONTRAST AGENT	NON-CALCIFIED PLAQUE- WITH CONTRAST AGENT	CONTRAST-ENHANCED MINUS NON-CONTRAST DATASET
80 KV	HARD TISSUE -CALCIUM SOFT TISSUE - LIPID 402 (FIRST SET OF IMAGE DATA)	CONTRAST AGENT FLOW SOFT TISSUE -LIPID 408 (FOURTH SET OF IMAGE DATA)	CONTRAST-ENHANCED ANATOMY ONLY (CALCIFIED PLAQUE REMOVED) 414 (SEVENTH SET OF IMAGE DATA)
140 KV	HARD TISSUE -CALCIUM 404 (SECOND SET OF IMAGE DATA)	CONTRAST AGENT FLOW 410 (FIFTH SET OF IMAGE DATA)	CONTRAST-ENHANCED ANATOMY ONLY (CALCIFIED PLAQUE REMOVED) 416 (EIGHTH SET OF IMAGE DATA)
140 KV MINUS 80 KV	SOFT TISSUE -LIPID 406 (THIRD SET OF IMAGE DATA)	SOFT TISSUE - LIPID 412 (SIXTH SET OF IMAGE DATA)	PLAQUE CHARACTERIZATION WITH HARD PLAQUE AND OTHER NON-CONTRAST ENHANCED ANATOMY 418 REMOVED (NINTH SET OF IMAGE DATA)

FIG. 4




FIG. 5